

## Infrared heating panel with WiFi 1000W

#### **Highlights**

- Room size
   Suitable for rooms up to 20 m²
- Power consumption max. 1000 watt
- Thermostat
   Temperature control from 0 37°C
- Operation
   via control panel,
   remote control or Wifi
   control



The SHXA series with the best price/performance ratio is a framed infrared heating panel with built-in temperature controller. The heating panel has a simple and modern framed design and, together with the white carbon crystal finish, suits all types of room décor.

The panel has a built-in control box on the back of the control panel that allows you to perform different types of temperature controls. In manual mode, you can operate the temperature setting as well as the 24-hour timer, while an app allows you to make complex heating schedule settings.

Due to the fact that infrared heating directly heats objects in the room, this is one of the most energy-efficient ways to heat your room. With an IP rating of IP44, it can also be used in the bathroom area.

The unit has been rigorously tested by the German testing laboratory TÜV and also meets the new requirement of Ecodesign registration in Europe. Each panel produced is carefully tested before leaving the factory.

The panel can also be easily operated with the Wifi function via the mobile APP, Alexa and Google Home. The SHX A-Wifi model is based on the Tuya system and works with the "Tuya Smart" app.







### Infrared heating panel with WiFi 1000W

#### Safety

Safety is a top priority for SHX. The heating panel is equipped with an overheating protection. This prevents risks from the outset.









# Infrared heating panel with WiFi 1000W

#### Scope of delivery

- Infrared panel
- Operating instructions
- Remote control
- · Screws and dowels
- Feet

#### Warranty period

• 2 years

#### Specifications:

- · Modern white frame design
- · LC display and easy manual control
- 24H timer
- Cloud timer
- Thermostat
- Window detection
- Heating element: Nano carbon crystal with PET surface
- Surface temperature: 85-95°C
- · Insulation material: glass fibre
- · Steel reflective layer
- Overheating protection: Yes
- Mains voltage: 220-240V~, 50Hz
- Cable length: 1,80 mProtection class: IP44

#### **Dimensions:**

- Product (W×H×D): 1200×700×50 mm
- Packaging (W×H×D): 1310 mm x 810 mm x 68 mm
- Net/gross weight: 3.7 kg / 6.3 kg

#### Other:

- Certificates: VD, EMC, ErP, ISO9001, BSCI
- · Colour: White





