

## Highlights

- **motor**  
Bafang M200  
Type: Mid-motor  
Power: 250 Watt  
Torque: 65 Nm
- **Battery pack**  
Samsung, capacity: 14 Ah  
Watt-hours: 500 Wh  
Removable: Yes
- **Frame**  
Aluminium, size:  
51 cm height
- **Fork**  
Suntour NEX E25 DS
- **Brakes**  
Hydraulic disc brake  
Brand: Tektro
- **Tyres**  
Reflective, Kenda 28" 2.20
- **Gear system**  
Shimano Acera, 7 gears
- **Weight**  
23.6 kg
- **Range:**  
up to 80 km
- **Load capacity**  
120 kg

## Garantiezeit

- 2 years

### The Be Cool eCBM-Hi1 is an elegant and practical city e-bike!

The powerful Bafang M200 motor with 250 watts and 65 Nm allows you to ride comfortably and quickly through the city. The removable battery with 14 Ah and 500 Wh capacity and high-quality Samsung cells ensures a long journey time.

The hydraulic disc brake guarantees maximum safety when braking. With the 7-speed gears, you are always in control and can master any challenge.

Discover the city in a new way with the Be Cool eCBM-Hi1.



Oblique view right



Front view




Oblique view left




Side view left

Detailed view of battery



Technical data:

Component	Component manufacturer	Component data	material
Frame		700C*51 cm aluminium frame,	aluminium
Fork	SUNTOUR	NEX-E25 suspension fork, aluminium, CP tube. Stroke: 63 mm.	steel
Steering head bearing	NECO	Threadless $\phi$ 28.6*44*30 H=23.6mm	Steel washer
Washer	GINEYEA	ID=1-1/8" H=10mm	aluminium
Handlebar	ZOOM	City handlebar 22.2*610MM, bore 31.8MM, 8°, H=13MM, grip width 175mm	aluminium
Stem	ZOOM	Adjustable stem, 28.6mm, length=110mm, suitable for 31.8mm, H=41mm 0-90°	aluminium
Handles		L=130MM.R=92MM	rubber
chain	KMC	PPO End 1/2"*3/32"120L, 7 gears	steel
Pedals	VP	Plastic pedal, ball bearing 9/16"	
Front hub	QUANDO	Alloy hub, M9*100*108 14G*36H, with quick release	aluminium
Rear hub	QUANDO	Alloy hub, 3/8"*135mm*180mm, 14G*36H	
Cassette	SHIMANO	7gears, index,14- 28T,black/brown	steel
Front brake	TEKTRO	HD-M275 hydraulic disc brake, 6 holes.	Aluminium
Rear brake	TEKTRO	HD-M275 Hydraulic disc brake, 6 holes.	aluminium
Chain guard	YUNG FANG	FIT 38T, plastic chain guard	PVC
Rim	STAR	700C double- walled 14G*36H A/V H=25.5mm	aluminium



Spokes		14G*36H F:280/281 R 280/282	steel
Tyres	KENDA	700Cx45C with reflective sticker	Rubber tyre
Tube	KENDA	700*45C H=48mm AV+OB	butyl
motor	BAFANG	M200 BAFANG MOTOR, 36V/250W,38T*170L crank	
display	BAFANG	CANBUS LCD display	
Battery		36V14AH, Samsung battery cell. 18650. EN15194-2017 standard.	
Charger		36V3A charger, EU plug.EN15194- 2017 Standard.	
Seat post	ZOOM	ZOOM suspension seat post, with quick release	aluminium
quick release	ZOOM	31.8mm quick release	aluminium
Grip shifter	SHIMANO	SL-R35- 7R,TOURNEY,7 gears REVO SHIFTER 2500MM	Steel/plastic
Shifter cable	JAG	R:1500*330	SP
rear derailleur	SHIMANO	Shiamno ACERA Rear 7 speeds	aluminium
kickstand		Alloy kickstand.	Aluminium
Mudguard		Steel, 250/710mm 1120mm	steel
Luggage carrier		Alloy carrier	aluminium
Front light	SPANNINGA	Battery-powered light, CE standard	
Rear light	SPANNINGA	Battery-powered light, CE standard	
Chain guard		Chain guard 5- 1/2"	PVC
Bell		Available	

